



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113, INDONESIA.
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540 927. <http://www.siglaboratory.com>



No
Lamp.
Perihal

SIG.CL.VIII.2020.025920
1 halaman
Laporan Hasil Uji Laboratorium

Bogor, 12 Agustus 2020

Kedada Yth:

Dinas Pertanian dan Pangan Kabupaten Magelang
Jl. Letnan Tukiyat Kota Mungkid

Dengan hormat,

Berdasarkan surat order marketing nomor : SIG.Mark.P.VII.2020.001077 , maka bersama ini kami sampaikan hasil uji analisis laboratorium.

Demikian surat ini kami sampaikan semoga dapat dipergunakan sebagaimana mestinya. Atas kerjasama yang baik kami mengucapkan terima kasih.

Hormat kami,
PT Saraswanti Indo Genetech

Robertus B. Aryo
Manager Marketing



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113 INDONESIA.
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540 927. <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 4

RESULT OF ANALYSIS

Laporan Hasil Pengujian
No: SIG.LHP.VIII.2020.081046

- I. Number / Nomor
 - 1.1. Order No. / No. Order : SIG.Mark.P.VII.2020.001077
- II. Prinsipal / Pelanggan
 - 2.1. Name / Name : Dinas Pertanian dan Pangan Kabupaten Magelang
 - 2.2. Address / Alamat : Jl. Letnan Tukiyat Kota Mungkid
 - 2.3. Phone / Telepon : 0293 - 788314 / 083862891729
 - 2.4. Contact Person / Personil Penghubung : Endriani Widyastuti, SP, MM
- III. Sample / Contoh Uji
 - 3.1. Sample Code / Kode Sample : -
 - 3.2. Batch number / No Batch : -
 - 3.3. Lot number / No Lot : -
 - 3.4. Packaging / Kemasan : -
 - 3.5. Production Date / Tanggal produksi : -
 - 3.6. Expire Date / Tanggal kadaluarsa : -
 - 3.7. Factory Name / Nama pabrik : -
 - 3.8. Factory Address / Alamat pabrik : -
 - 3.9. Trade Mark / Nama dagang : -
 - 3.10. Sample Name / Nama Sample : Strawberry 02/DPP/PSAT/07/2020
 - 3.11. Other Information / Keterangan lain : Standard Permentan 53/2018
 - 3.12. Date of Sampling / Tanggal Sampling : -
 - 3.13. Date of Received / Diterima : July 30, 2020
 - 3.14. Date of Analysis / Tanggal Uji : August 03, 2020 - August 11, 2020
 - 3.15. Type of Analysis / Jenis Uji : Terlampir
- IV. Result / Hasil Uji

Result of analysis on page 2 / Hasil uji di halaman 2

Page 1 of 7

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context, without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWATI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG 1, Rasamala No. 20, Taman Yasmin Bogor 16113, INDONESIA
Phone: +62-251-7532348 (hunting) - 082-111-516-516. Fax: +62-251-7532327. <http://www.siglaboratory.com>

Nor.28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081046

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
1	Deltamethrin	mg / kg	Not detected	Max. 0.2	0.0039	18-12-2/MU/SMM-SIG (LCMSMS)
2	Permethrin	mg / kg	Not detected	Max. 1	0.00112	18-12-2/MU/SMM-SIG (LCMSMS)
3	Chlorothalonil	mg / kg	Not detected	Max. 5	0.001	18-14-1/MU/SMM-SIG (GCMSMS)
4	Chlorpyrifos	mg / kg	Not detected	Max. 0.3	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
5	Cypermethrin	mg / kg	Not detected	Max. 0.07	0.002	18-14-1/MU/SMM-SIG (GCMSMS)
6	Bromopropylate	mg / kg	Not detected	Max. 2	0.01	18-14-1/MU/SMM-SIG (GCMSMS)
7	Iprodion	mg / kg	Not detected	Max. 10	0.01	18-14-1/MU/SMM-SIG (GCMSMS)
8	Chlorpyrifos methyl	mg / kg	Not detected	Max. 0.06	0.0024	18-12-2/MU/SMM-SIG (LCMSMS)
9	Diazinon	mg / kg	Not detected	Max. 0.1	0.00037	18-12-2/MU/SMM-SIG (LCMSMS)
10	Malathion	mg / kg	Not detected	Max. 1	0.00372	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswati Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113 INDONESIA
Phone: +62-251-7532348 (hunting) - 082 11 516 516. Fax: +62-251-7540227. <http://www.siglaboratory.com>

No: 28. /F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081046

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
11	Bifenthrine	mg / kg	Not detected	Max. 1	0.00102	18-12-2/MU/SMM-SIG (LCMSMS)
12	Methiocarb	mg / kg	Not detected	Max. 1	0.00116	18-12-2/MU/SMM-SIG (LCMSMS)
13	Abamectin	mg / kg	Not detected	Max. 0.02	0.0011	18-12-2/MU/SMM-SIG (LCMSMS)
14	Acetamiprid	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
15	Azoxystrobin	mg / kg	Not detected	Max. 10	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
16	Bifenazate	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
17	Boscalid	mg / kg	Not detected	Max. 3	0.0053	18-12-2/MU/SMM-SIG (LCMSMS)
18	Buprofezin	mg / kg	Not detected	Max. 3	0.00051	18-12-2/MU/SMM-SIG (LCMSMS)
19	Captan	mg / kg	Not detected	Max. 15	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
20	Clofentezine	mg / kg	Not detected	Max. 2	0.03	18-12-2/MU/SMM-SIG (LCMSMS)
21	Cycloxdim	mg / kg	Not detected	Max. 3	0.00511	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG 1, Rasamala No. 20 Taman Yasmin Bogor 16113, INDONESIA
Phone: +62-251-7532348 (hunting) - 082111 516 516, Fax: +62-251-75310327, <http://www.siglabofactory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081046

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
22	Cyprodinil	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
23	Dichlofluand	mg / kg	Not detected	Max. 10	0.00602	18-12-2/MU/SMM-SIG (LCMSMS)
24	Dimethomorph	mg / kg	Not detected	Max. 0.05	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
25	Dinocap	mg / kg	Not detected	Max. 0.5	0.01	18-12-2/MU/SMM-SIG (LCMSMS)
26	Dithiocarbamates	mg / kg	Not detected	Max. 5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
27	Ethoprophos	mg / kg	Not detected	Max. 0.02	0.001	18-12-2/MU/SMM-SIG (LCMSMS) QTOF
28	Fenarimol	mg / kg	Not detected	Max. 1	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
29	Fenbutatin oxide	mg / kg	Not detected	Max. 10	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
30	Fenhexamid	mg / kg	Not detected	Max. 10	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
31	Fludioxonil	mg / kg	Not detected	Max. 3	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
32	Fluopyram	mg / kg	Not detected	Max. 0.4	0.001	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswanti Indo Genetech.



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

Phone: +62-251-7532348 (hunting) • 082111516516, Fax: +62-251-7531027, <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081046

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
33	Folpet	mg / kg	Not detected	Max. 5	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
34	Glufosinate-ammonium	mg / kg	Not detected	Max. 0.3	0.013	18-12-2-2/MU/SMM-SIG (LCMSMS)
35	Hexythiazox	mg / kg	Not detected	Max. 6	0.00179	18-12-2/MU/SMM-SIG (LCMSMS)
36	Imazalil	mg / kg	Not detected	Max. 2	0.00538	18-12-2/MU/SMM-SIG (LCMSMS)
37	Imidacloprid	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
38	Meptyldinocap	mg / kg	Not detected	Max. 0.3	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39	Methoxyfenozide	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
40	Novaluron	mg / L	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
41	Penthiopyrad	mg / kg	Not detected	Max. 3	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
42	Pyraclostrobin	mg / kg	Not detected	Max. 1.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
43	Pyrimethanil	mg / kg	Not detected	Max. 3	0.01283	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRANA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113, INDONESIA.
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540927. <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081046

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
44	Quinoxifen	mg / kg	Not detected	Max. 1	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
45	Spirodiclofen	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
46	Sulfoxaflor	mg / kg	Not detected	Max. 0.5	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
47	Tolyfluanid	mg / kg	Not detected	Max. 5	0.00202	18-12-2/MU/SMM-SIG (LCMSMS)
48	Triadimefon	mg / kg	Not detected	Max. 0.7	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
49	Triadimenol	mg / kg	Not detected	Max. 0.7	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
50	Trifloxystrobin	mg / kg	Not detected	Max. 1	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
51	Triforin	mg / kg	Not detected	Max. 1	0.01914	18-12-2/MU/SMM-SIG (LCMSMS)
52	Mycobutanil	mg / kg	Not detected	Max. 1	0.01	18-12-2/MU/SMM-SIG (LCMSMS)
53	Penconazol	mg / kg	Not detected	Max. 0.1	0.00984	18-12-2/MU/SMM-SIG (LCMSMS)
54	Pb	mg / kg	Not detected	Max. 0.1	0.00035	18-13-14/MU/SMM-SIG (ICP-MS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113, INDONESIA.
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540927. <http://www.siglaboratory.com>


No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081046

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
55	Escherichia coli	MPN / g	0	<20	-	SNI ISO 7251 : 2012
56	Salmonella sp.	/ 25 g	Negative	Negative	-	SNI ISO 6579 : 2015

Bogor, 12 Agustus 2020
PT Saraswanti Indo Genetech



Dwi Yulianto Laksono, S.Si
Manager Laboratorium



PT. SARASWANTI INDO GENETECH
The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Basamala No. 20 Taman Yasmin Bogor 16113, INDONESIA.
Phone: +62-251-753234R (hunting) - 082 111 516 516. Fax: +62-251-7540 927. <http://www.siglaboratory.com>



No
Lamp.
Perihal

SIG.CL.VIII.2020.025920
1 halaman
Laporan Hasil Uji Laboratorium


Bogor, 12 Agustus 2020

Kepada Yth.
Dinas Pertanian dan Pangan Kabupaten Magelang
Jl. Letnan Tukiyat Kota Mungkid

Dengan hormat,

Berdasarkan surat order marketing nomor : SIG.Mark.P.VII.2020.001077 , maka bersama ini kami sampaikan hasil uji analisis laboratorium.
Demikian surat ini kami sampaikan semoga dapat dipergunakan sebagaimana mestinya.
Atas kerjasama yang baik kami mengucapkan terima kasih.

Hormat kami,
PT Saraswanti Indo Genetech



Robertus B.Aryo
Manager Marketing

CC

OPY



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Tarmen Yasmin Bogor 16113 INDONESIA.
Phone: +62 251 7532348 (hunting) - 082 111 516 516. Fax: +62 251 7540 927. <http://www.siglabbiolatory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 4

RESULT OF ANALYSIS

Laporan Hasil Pengujian
No: SIG.LHP.VIII.2020.081045

- I. Number / Nomor
 - 1.1. Order No. / No. Order : SIG.Mark.P.VII.2020.001077
- II. Prinsipal / Pelanggan
 - 2.1. Name / Name : Dinas Pertanian dan Pangan Kabupaten Magelang
 - 2.2. Address / Alamat : Jl. Letnan Tukiyat Kota Mungkid
 - 2.3. Phone / Telepon : 0293 - 788314 / 083862891729
 - 2.4. Contact Person / Personil Penghubung : Endriani Widyastuti, SP, MM
- III. Sample / Contoh Uji
 - 3.1. Sample Code / Kode Sample : -
 - 3.2. Batch number / No Batch : -
 - 3.3. Lot number / No Lot : -
 - 3.4. Packaging / Kemasan : -
 - 3.5. Production Date / Tanggal produksi : -
 - 3.6. Expire Date / Tanggal kadaluarsa : -
 - 3.7. Factory Name / Nama pabrik : -
 - 3.8. Factory Address / Alamat pabrik : -
 - 3.9. Trade Mark / Nama dagang : -
 - 3.10. Sample Name / Nama Sample : Tomat 01/DPP/PSAT/07/2020
 - 3.11. Other Information / Keterangan lain : Standard Permentan 53/2018
 - 3.12. Date of Sampling / Tanggal Sampling : -
 - 3.13. Date of Received / Diterima : July 30, 2020
 - 3.14. Date of Analysis / Tanggal Uji : August 03, 2020 - August 11, 2020
 - 3.15. Type of Analysis / Jenis Uji : Terlampir
- IV. Result / Hasil Uji

Result of analysis on page 2 / Hasil uji di halaman 2

Page 1 of 8

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context, without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRANA SIG Jl. Rasamala No. 20 Tamah Yasmin Bogor 16113 INDONESIA
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540 927. <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SI
Revisi

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
1	Imidacloprid	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
2	Hexythiazox	mg / kg	Not detected	Max. 0.1	0.00179	18-12-2/MU/SMM-SIG (LCMSMS)
3	Fenbutatin oxide	mg / kg	Not detected	Max. 1	0.00076	18-12-2/MU/SMM-SIG (LCMSMS)
4	Ethephone	mg / kg	Not detected	Max. 2	0.014	18-12-2-6/MU/SMM-SIG (LCMSMS)
5	Dinocap	mg / kg	Not detected	Max. 0.3	0.01	18-12-2/MU/SMM-SIG (LCMSMS)
6	Dithiocarbamates	mg / kg	Not detected	Max. 2	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
7	Cyprodinil	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
8	Captan	mg / kg	Not detected	Max. 5	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
9	Bifenazate	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
10	Zoxamide	mg / kg	Not detected	Max. 2	0.00346	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full copy without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113 INDONESIA
Phone: +62 251 7532348 (hunting) - 082 111 516 516 Fax: +62 251 7540 927 http://www.siglaboratory.com

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
11	Trifloxystrobin	mg / kg	Not detected	Max. 0.7	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
12	Spirodiclofen	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
13	Spinozad	mg / kg	Not detected	Max. 0.3	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
14	Diazinon	mg / kg	Not detected	Max. 0.5	0.00037	18-12-2/MU/SMM-SIG (LCMSMS)
15	Chlorpyrifos methyl	mg / kg	Not detected	Max. 1	0.0024	18-12-2/MU/SMM-SIG (LCMSMS)
16	Quintozene	mg / kg	Not detected	Max. 0.02	0.0032	18-12-2/MU/SMM-SIG (LCMSMS)
17	Endosulfan	mg / kg	Not detected	Max. 0.5	0.002	18-14-1/MU/SMM-SIG (GCMSMS)
18	Chlorothalonil	mg / kg	Not detected	Max. 5	0.001	18-14-1/MU/SMM-SIG (GCMSMS)
19	Cypermethrin	mg / kg	Not detected	Max. 0.2	0.002	18-14-1/MU/SMM-SIG (GCMSMS)
20	Dichlofluanid	mg / kg	Not detected	Max. 2	0.00602	18-12-2/MU/SMM-SIG (LCMSMS)
21	Cyfluthrin	mg / kg	Not detected	Max. 0.2	0.0051	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full con Page 3 of 8
without the written approval of PT. Saraswanti Indo Genetech.



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG/1, Rasamala No. 20 Tamar Yasmin Bogor 16113 INDONESIA
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540927. <http://www.siglaboratory.com>

No. 28. 1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
22	Clethodim	mg / kg	Not detected	Max. 1	0.0122	18-12-2/MU/SMM-SIG (LCMSMS)
23	Triflorin	mg / kg	Not detected	Max. 0.5	0.01914	18-12-2/MU/SMM-SIG (LCMSMS)
24	Tolyfluanid	mg / kg	Not detected	Max. 3	0.00202	18-12-2/MU/SMM-SIG (LCMSMS)
25	Ethoprophos	mg / kg	Not detected	Max. 0.01	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
26	Esfenvalerate	mg / kg	Not detected	Max. 0.1	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
27	Spinetoram	mg / kg	Not detected	Max. 0.06	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
28	Pyraclostrobin	mg / kg	Not detected	Max. 0.3	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
29	Methoxyfenozide	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
30	Metaflumizone	mg / kg	Not detected	Max. 0.6	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
31	Azinphos-methyl	mg / kg	Not detected	Max. 1	0.0066	18-12-2/MU/SMM-SIG (LCMSMS)
32	Acephate	mg / kg	Not detected	Max. 1	0.01	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113, INDONESIA
Phone: +62-251-7532348 (hunting) - 082 111 516 516. Fax: +62-251-7540927. <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
33	Iprodion	mg / kg	Not detected	Max. 5	0.01	18-14-1/MU/SMM-SIG (GCMSMS)
34	Metalaxyl	mg / kg	Not detected	Max. 0,5	0.00415	18-12-2/MU/SMM-SIG (LCMSMS)
35	Thiacloprid	mg / kg	Not detected	Max. 0.5	0.00293	18-12-2/MU/SMM-SIG (LCMSMS)
36	Tebufenozide	mg / kg	Not detected	Max. 1.	0.00082	18-12-2/MU/SMM-SIG (LCMSMS)
37	Pyrimethanil	mg / kg	Not detected	Max. 0.7	0.01283	18-12-2/MU/SMM-SIG (LCMSMS)
38	Pyrethrin	mg / kg	Not detected	Max. 0.05	0.00082	18-12-2/MU/SMM-SIG (LCMSMS)
39	Propargite	mg / kg	Not detected	Max. 2	0.00025	18-12-2/MU/SMM-SIG (LCMSMS)
40	Piperonyl butoxide	mg / kg	Not detected	Max. 2	0.00026	18-12-2/MU/SMM-SIG (LCMSMS)
41	Mandipropamid	mg / kg	Not detected	Max. 0.3	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
42	Indoxacarb	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
43	Folpet	mg / kg	Not detected	Max. 3	0.001	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full context without the written approval of PT. Saraswanti Indo Genetech

Page 5 of 8



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113 INDONESIA
Phone: +62 251-7532348 (hunting) - 082 111 516 516 Fax: +62 251-7540 927. <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
44	Fluopyram	mg / kg	Not detected	Max. 0,4	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
45	Fludioxonil	mg / kg	Not detected	Max. 0,5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
46	Flubendiamide	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
47	Fenhexamid	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
48	Famoxadone	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
49	Permethrin	mg / kg	Not detected	Max. 1	0.00112	18-12-2/MU/SMM-SIG (LCMSMS)
50	Fenpropathrin	mg / kg	Not detected	Max. 1	0.02105	18-12-2/MU/SMM-SIG (LCMSMS)
51	Deltamethrin	mg / kg	Not detected	Max. 0,3	0.0039	18-12-2/MU/SMM-SIG (LCMSMS)
52	Bifenthrine	mg / kg	Not detected	Max. 0,3	0.00102	18-12-2/MU/SMM-SIG (LCMSMS)
53	Propamocarb	mg / kg	Not detected	Max. 2	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
54	Oxamyl	mg / kg	Not detected	Max. 2	0.00045	18-12-2/MU/SMM-SIG (LCMSMS)

The results of these tests relate only to the sample(s) submitted. This report shall not be reproduced except in full compliance without the written approval of PT. Saraswanti Indo Genetech



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113 INDONESIA
Phone: +62 251 7532348 (hunting) - 082 111 516 516. Fax: +62 251 7540927. <http://www.siglaboratory.com>

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
55	Methomyl	mg / kg	Not detected	Max. 1	0.01001	18-12-2/MU/SMM-SIG (LCMSMS)
56	Carbaryl	mg / kg	Not detected	Max. 5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
57	Profenofos	mg / kg	Not detected	Max. 10	0.00098	18-12-2/MU/SMM-SIG (LCMSMS)
58	Methidathion	mg / kg	Not detected	Max. 0.1	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
59	Malathion	mg / kg	Not detected	Max. 0.5	0.00372	18-12-2/MU/SMM-SIG (LCMSMS)
60	Carbendazim	mg / kg	Not detected	Max. 0.5	0.001	18-12-2/MU/SMM-SIG (LCMSMS)
61	Buprofezin	mg / kg	Not detected	Max. 1	0.00051	18-12-2/MU/SMM-SIG (LCMSMS)
62	Benalaxyl	mg / kg	Not detected	Max. 0.2	0.00157	18-12-2/MU/SMM-SIG (LCMSMS)
63	Amitraz	mg / kg	Not detected	Max. 0.5	0.00016	18-12-2/MU/SMM-SIG (LCMSMS)
64	Abamectin	mg / kg	Not detected	Max. 0.02	0.0011	18-12-2/MU/SMM-SIG (LCMSMS)
65	Tebuconazol	mg / kg	Not detected	Max. 0.7	0.001	18-12-2/MU/SMM-SIG (LCMSMS)



PT. SARASWANTI INDO GENETECH

The First Indonesian Molecular Biotechnology Company

GRAHA SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16112 INDONESIA
Phone: +62 251 7532348 (hunting) 082 111 516 516 Fax: +62 251 7540 927 http://www.siglaboratory.com

No. 28.1/F-PP/SMM-SIG
Revisi 3

Result of Analysis

No: SIG.LHP.VIII.2020.081045

No.	Parameter	Unit	Result	Standard	Limit of Detection	Method
66	Penconazol	mg / kg	Not detected	Max. 0.2	0.00984	18-12-2/MU/SMM-SIG (LCMSMS)
67	Mycobutanil	mg / kg	Not detected	Max. 0.3	0.01	18-12-2/MU/SMM-SIG (LCMSMS)
68	Difenoconazol	mg / kg	Not detected	Max. 0.5	0.002	18-12-2/MU/SMM-SIG (LCMSMS)
69	Bitertanol	mg / kg	Not detected	Max. 3	0.01019	18-12-2/MU/SMM-SIG (LCMSMS)
70	Pb	mg / kg	Not detected	Max. 0.1	0.00035	18-13-14/MU/SMM-SIG (ICP MS)
71	Cd	mg / kg	Not detected	Max. 0.05	0.0005	18-13-14/MU/SMM-SIG (ICP MS)
72	Salmonella sp.	/ 25 g	Negative	Negative	-	SNI ISO 6579:2015
73	Escherichia coli	MPN / g	0	<3	-	SNI ISO 7251: 2012

Bogor, 12 Agustus 2020
PT. Saraswanti Indo Genetech



Dwi Yulianto Laksono, S.Si
Manager Laboratorium